



THE TAMILNADU COOPERATIVE MILK PRODUCERS' FEDERATION LIMITED,
29,30 INDUSTRIAL ESTATE ,AMBATTUR, CHENNAI - 600098.
TELEPHONE : 044-23464528-32, FAX :044-23464536,
E-MAIL: jmdaavin@gmail.com&aavintpt@gmail.com

Ref. No. 1897/T4/TPT/2019

13.06.2022

CORRIGENDUM

The pre-bid meeting for the open tender called for Supply of 375 Nos. of various capacities Road Milk Tanker on hire for Transportation of milk From / To DCMPU Dairies / Chilling Centres / Bulk Milk Coolers of TamilNadu / Andhra Pradesh / Karnataka /Kerala /Telangana States and Other Dairies for the period of 3 years (2022 - 2025) was held on 25.05.2022.

During the pre-bid meeting the following points were discussed and it has been proposed to amend the tender terms and conditions as detailed below:

Index

INDEX

Sl.No.		Description	Page No.
1.	Common Format for All Vehicles	RMT - Covering Letter	1
2.		Common Index	2
3.		Tender Information	3
4.		Technical bid-Check list	4 & 5
5.		Two Part Tender Application	6
6.		Instructions to the bidders	7 to 9
7.		General Terms and conditions	10 to 22
8.		Pre-Qualification Criteria - Technical Bid (Part-I)	23
9.		Scope of Work	24
10.		Evaluation and Comparison of the Tender offer	25
11.		Technical Specification	26
12.		Abbreviations	27
13.		Annexure - A	28
14.		Annexure - B	29
15.		Annexure - C	30
16.		Annexure - D	31
17.		Model Agreement Format	32 to 46
18.	Tankers Specifications	Annexure - E	47
19.		Annexure - F	48 to 50
20.		Annexure - G	51
21.		Annexure - H	52 to 54
22.		Annexure - I	55
23.		Annexure - J	56 to 58
24.		Tanker volume Analysis Report - Annexure - K	59

"The above Index is modified and should be read as"

SIGNATURE OF THE TENDERER WITH SEAL

Sl.No.		Description	PageNo.
1.	Common Format for All Vehicles	RMT - Covering Letter	1
2.		Common Index	2
3.		Tender Information	3
4.		Technical bid-Check list	4 & 5
5.		Two Part Tender Application	6
6.		Instructions to the bidders	7 to 9
7.		General Terms and conditions	10 to 22
8.		Pre-Qualification Criteria - Technical Bid (Part-I)	23
9.		Scope of Work	24
10.		Evaluation and Comparison of the Tender offer	25
11.		Technical Specification	26
12.		Abbreviations	27
13.		Annexure - A	28
14.		Annexure - B	29
15.		Annexure - C	30
16.		Annexure - D	31
17.		Model Agreement Format	32 to 46
18.	Tankers Specifications	Annexure - E	47
19.		Annexure - F	48 to 50
20.		Annexure - G	51
21.		Annexure - H	52 to 54
22.		Annexure - I	55
23.		Annexure - J	56 to 58
24.		Tanker volume Analysis Report - Annexure - K	59
25.		Union wise tentative tanker requirement - Annexure -L	60

Pg.No.2

Common Index Sl.No.7

The Bidder must evaluate the tanker capacity (liquid) at any nearest Aavin milk Unions and actual capacity / quantity may be certified by the concern Union GMs and the certificate must be attached along with the Technical Bid.

“The above clause is modified and should be read as”

The Bidder must evaluate the tanker capacity and submit the self declaration in Annexure -K. The tanker capacity as per Annexure - K shall be verified at the allotted union before executing the agreement.

SIGNATURE OF THE TENDERER WITH SEAL

PART I Technical Bid

Pg. No. 10

Clause No.4.6

PART - II Commercial Bid, wherein the rates tendered by those who qualify for and are selected as per terms and conditions prescribed in PART - I TECHNICAL BID only will be considered and decided for the award of the contract for the supply of 375 No. of 9000 Litre (+ 10% permissible), 15000 Litre (+ 10% permissible), & 20000 Litre (+ 10% permissible), Capacity of Road Milk Tankers on Hire for Transportation of Milk From / To DCMPU Dairies / Chilling Centres / Bulk Milk Coolers of Tamilnadu / Andhra Pradesh / Karnataka/Kerala/Telangana States and Other Dairies for the period of 2022 to 2025 (Three Years).

“The above clause is modified and should be read as”

PART - II Commercial Bid, wherein the rates tendered by those who qualify for and are selected as per terms and conditions prescribed in PART - I TECHNICAL BID only will be considered and decided for the award of the contract for the supply of 375 No. of 9000 Litre (permissible limit allowed as per RTO norms), 15000 Litre (permissible limit allowed as per RTO norms), & 20000 Litre (permissible limit allowed as per RTO norms), Capacity of Road Milk Tankers on Hire for Transportation of Milk From / To DCMPU Dairies / Chilling Centres / Bulk Milk Coolers of Tamilnadu / Andhra Pradesh / Karnataka/Kerala/ Telangana States and Other Dairies for the period of 2022 to 2025 (Three Years) and transportation charges will be paid on kilometer basis.

Pg. No. 10 & 23

Clause 4.8 & 5.8

The Bidder must evaluate the tanker capacity (liquid) at any nearest Aavin milk Unions and evaluate the actual tank up to the over flow level of the manhole capacity / quantity may be Certified by the concern Union GMs and the Tanker Volume Analysis report (Annexure - K) must be attached along with the Technical Bid.

“The above clause is modified and should be read as”

The Bidder must evaluate the tanker capacity and submit the self declaration in Annexure -K. The tanker capacity as per Annexure - K shall be verified at the allotted union before executing the agreement.

Pg. No. 16

Clause 4.32.6

At Federation level: The Managing Director is vested with the right to finalise the rates. The successful Road Milk tankers are allotted by the Managing Director to the District unions based on their request of RMT quantities and capacities.

“The above clause is modified and should be read as”

SIGNATURE OF THE TENDERER WITH SEAL

At Federation level: The Managing Director is vested with the right to finalise the rates. The successful Road Milk tankers are allotted by the Managing Director to the District unions based on their request of RMT quantities and capacities.

The details of the requirement of tankers union wise is enclosed in Annexure – L

Pg. No. 18

Clause: 4.38 (C)

The bidder shall not involve in the sale of milk or milk products either directly or indirectly.

“The above clause is modified and should be read as”

The bidder shall not involve in the sale of milk or milk products directly.

Pg. No. 19

Clause 4.39

The successful bidder will be given access to the vehicle movement in GPS.

“ The above para may be added in Clause 4.39 (f)”

Pg.No. 20

Clause 4.42 FSSAI CERIFICATE:

The FSSAI Certificate from the competent authority must be provided by the successful bidder within one month from the date of award of the contract. This Certificate must be valid throughout the period of contract and it is the responsibility of the contractor to renew the certificate periodically on his own cost.

“The above clause is modified and should be read as”

The FSSAI Certificate from the competent authority must be produced by the successful bidder before executing the agreement. This Certificate must be valid throughout the period of contract and it is the responsibility of the contractor to renew the certificate periodically on his own cost.

SIGNATURE OF THE TENDERER WITH SEAL

Pg. No. 23 & 12**Clause 5.5 & 4.23.2**

The Bidder shall submit along with the tender documents.

Photostat copies of

- i) PAN card
- ii) GST No.
- iii) RC book
- iv) Fitness Certificate
- v) Insurance Certificate
- vi) Road Tax
- vii) FSSAI Certificate
- viii) Permit suitable for milk transportation
- ix) Identity proof which can be a ration card / Aadhar card / Election Commission's ID card.

"The above clause is modified and should be read as"

Clause 5.5

The Bidder shall submit along with the tender documents.

Photostat copies of

- i) PAN card
- ii) RC book
- iii) Fitness Certificate
- iv) Insurance Certificate
- v) Road Tax
- vi) Permit suitable for milk transportation
- vii) Identity proof which can be a ration card / Aadhar card / Election Commission's ID card.

Pg.No. 24**Clause 6.5**

If noticed any loaded vehicle parking /Idling time penalty will be imposed on the contractor for Rs. 1000/- for hour basis.

"The above clause is modified and should be read as"

If noticed any abnormal parking /Idling time of loaded vehicle, penalty will be imposed on the contractor of Rs. 1000/- per hour.

SIGNATURE OF THE TENDERER WITH SEAL

Pg. No. 24
Clause 6.7

Tanker Cleaning:

Tanker inner wall cleaning in hygienic condition. The contractor should ensure the tanker inner-side wall cleaning before filling the milk in loading spot.

“The above para is deleted ”

Pg. No. 59
Annexure - K

Annexure - K

Subject: Tanker Volume Analysis Report

- 1. Name of the Bidder :
- 2. Name and address of the Bidder :
(as per R.C. Book)
- 3. Vehicle Make :
- 4. Vehicle Registration No. :
- 5. Engine Number :
- 6. Chassis Number :
- 7. Milk Transit Capacity : Actual barrel Capacity
 - a) ULW..... kgs. : 1) Front.....in Ltrs.
 - b) GLW.....kgs. : 2) Middle.....in Ltrs.
 - (b-a) Diff.....kgs. : 3) Rear.....in Ltrs.
 - : (1+2+3) Total.....in Ltrs.
- : a) Tender Volume : inLtrs
- : b) Physical Volume : inLtrs
- : c =(a-b)Difference : inLtrs

8. Milk Tank Specification

- 1) Length:..... in cm
 - 2) Width :..... in cm
 - 3) Height:..... in cm
 - 4) Inner wall built in:.....SS/MS
 - 5) Outer wall built in:.....SS/MS
- Calibration dt:
Calibration Conducted by:
Name:
Designation:
Date:

Attested by

General Manager

Dt:
Office Seal

Signature

Name of the Owner:

“The above Annexure -K is modified and should be read as”

SIGNATURE OF THE TENDERER WITH SEAL

Annexure - K

Subject: Tanker Volume Analysis Report

1. Name of the Bidder :
2. Name and address of the Bidder :
(as per R.C. Book)
3. Vehicle Make :
4. Vehicle Registration No. :
5. Engine Number :
6. Chassis Number :
7. Milk Transit Capacity : Actual barrel Capacity
- a) ULW..... kgs. : 1) Front.....in Ltrs.
- b) GLW.....kgs. : 2) Middle.....in Ltrs.
- (b-a) Diff.....kgs. : 3) Rear.....in Ltrs.
- : (1+2+3) Total.....in Ltrs
- : a) Tender Volume : inLtrs
- : b) Physical Volume : inLtrs
- : c =(a-b)Difference : inLtrs
8. Milk Tank Specification
- 1) Length:..... in cm Calibration dt:
- 2) Width :..... in cm Calibration Conducted by:
- 3) Height:..... in cm
- 4) Inner wall built in:.....SS/MS
- 5) Outer wall built in:.....SS/MS

Self Attested

(Signature of the Bidder)

Dt:

Page No.60**Annexure****Annexure - L newly added in tender document**

UNION WISE TENTATIVE TANKER REQUIREMENT (The quantity shall vary based on the actual requirement) (2022-2025) (in nos.)					
SL. No.	UNION	9 KL	15 KL	20 KL	Total
1	Erode	0	6	0	6
2	Salem	0	66	0	66
3	Trichy	0	52	10	62
4	Villupuram	5	29	0	34
5	Cuddalore	4	3	0	7
6	Vellore	7	5	0	12
7	Tiruvanmalai	16	3	1	20

SIGNATURE OF THE TENDERER WITH SEAL

8	Tirupur	0	32	0	32
9	Namakkal	4	15	3	22
10	Krishnagiri	6	6	0	12
11	Dharmapuri	13	10	0	23
12	Karur	0	11	0	11
13	Dindugal	0	8	0	8
14	Pudukottai	0	9	0	9
15	Sivagangai	4	6	0	10
16	Thirunelveli	0	1	0	1
17	Coimbatore	2	3	0	5
18	Madurai	9	5	0	14
19	Thanjavur	1	7	0	8
20	Thuthukudi	0	0	0	0
21	Kanyakumari	0	0	0	0
22	Theni	2	3	1	6
23	Nilgris	0	0	0	0
24	KT Union	0	6	0	6
25	Virudhunagar	1	0	0	1
Grant total		74	286	15	375

JOINT MANAGING DIRETOR

SIGNATURE OF THE TENDERER WITH SEAL