TAMILNADU CO-OPERATIVE MILK PRODUCERS FEDERATION LTD: CORP. OFFICE: NANDANAM: CHENNAI- 600 035

Ref. No.1413 /AGME/PM/Engg/2024

Date: 20.11.2024

То

The Related firms.

Sir,

Sub: - TCMPF LTD – Marketing unit – Chennai - Electrical wiring work for MS Structural Parlour of 12' X 10' size in MTC Terminus, Kilambakkam – Quotation called for – Reg

The TCMPF Ltd desires to carry out the Electrical wiring work for MS Structural Parlour of 12' X 10' size in MTC Terminus, Kilambakkam

The willing contractors can send their quotation in the attached format or download from the Aavin Website <u>www.aavin.tn.gov.in</u> 28/11/2024 and filled up quotations to be submitted in sealed covers on or before 28./11/2024 up to 03.00 PM along with necessary document copies in the quotation, to O/o The General Manger (Mkg), TCMPF LTD., No.3-A, Pasumpon Muthuramalinganar Salai, Chennai - 35.

The sealed quotation will be opened by 4.00 PM on 28/11/2024 in the presence of the applied contractors, who are present at that time. The Negotiation meeting will be conducted on the same day with L1 contractors.

General Manager (Mktg.)

TAMILNADU CO-OP. MILK PRODUCERS FED.LTD: CORP. OFFICE: MARKETING.UNIT: CH-35 Quotation

Ref. No.1413 /AGME/PM/Engg/2024

Date:

		<u>Company details</u>
1	Name of the firm	
2	Address & contact details Mobile No & Email ID	
3	GST No	
4	PAN no.	
5	MSME certificate, Manufacturer / Distributer / Dealer details.	

RATE QUOTATION

SN	SD	Description	Unit	Qty	Unit rate	Amount
1	SD16	Wiring with 2 x 1.5 sq.mm. PVC insulated multicore copper conductor in suitable PVC pipe / casing and capping with modular type switch box, 6Amp modular type Light switches with all accessories suitable colour continuous earth wire connection for light point / fan point (for electronic regulator), from switch board to the point surface of the parlour wall as required.	point	10		
2	SD39	Wiring with 2 x 4 sq.mm PVC insulated multicore copper conductor in suitable PVC pipe / casing and capping with modular type switch box 15/5 amp socket points controlled by 15 amp switch with all accessories continuous earth wire connection from switch board to the point surface of the parlour wall as required.	Point	6		
3	SD140	SD140 : supply and fixing of 20A DP plug and socket in sheet enclosure with 32A MCB in flush with wall with earth connection (for AC plug) (SD -140)	point	1		
4	SD152	Supply and fixing of 8 way Single phase Double door type DB with MCBs (suitable to fix the following MCBs) with neutral link, lockable arrangement, powered coated finish having IP 44 production as per Indian Electrical standards required.	Each	1		
5	SD140	Supply, fixing and testing of AC Metal socket with 32A SP MCB metal clad plug and socket.	Each	0		
6	M-1272	18W 4 Feet LED fitting White – Philips make	Each	12		
7	M-1286	(OR)18 W LED 3000K Round type recessed fittings with LED	Each	8		
8	M-1345	Supply & fixing of AC Exhaust Fan 450mm (18") Sweep (Light Duty).	Each	1		
9	M-1348	MS / Fibre Louvers Shutters arrangements for 300mm AC Exhaust Fan.	Each	1		
10	M-1354	Supply and installation of WALL MOUNTING FAN 300mm Sweep Each 2592.00	Each	3		
11	SD199	Supply and laying of 2 core 16 Sq.mm aluminium armoured cable from Power panel to DB including termination with cable gland, suitable lugs as require for	Rmt	120		

SN	SD	Description	Unit	Qty	Unit rate	Amount
		power service to the Parlor structure.				
		Name board letters lights	Sqft	18		
		Sub Total				
		GST				
		Total Amount				

Signature With Date & Seal

Terms and conditions

- A- Kindly mention your Company Name, Address with proof, Contact details, GST number, fields, Taxes etc., in detail in your quotation and enclosed your documents of MSME certificate, Manufacturer / Distributer / Dealer certificate and registration certificate etc.
- B- Payments shall be released after completing the work satisfactorily.
- C- Quotation to be addressed to "<u>The General Manager (Marketing.), TCMPF Ltd.</u> <u>No.3A, Pasumpon Muthuramalingam salai, Nandanam, Chennai-35</u>".
- D- Superscribe on the cover "Reference No. /AGME/PM/Engg/2024 and "Quotation for Electrical wiring work for MS Structural Parlour of 12' X 10' size in MTC Terminus, Kilambakkam".
- E- TCMPF Ltd, reserves the right to alter the quantity as required / cancel the service.
- F- Advance payment not accepted and kindly inspect the site/ equipments before quote the rates. Mentioned like "at actual" or "extra" is not accepted.
- **G-** The packing, forwarding and Insurance charges wherever applicable for import items should be quoted with Delivery at Place (D.A.P) Price.
- H- The firm should have minimum 2 years experience in related field and submit the previous work performance / satisfactory certificates.
- I- The firm shall have 50% of previous work experience of the tender value.
- J- Warranty for Material /machines one year, service /work six months.
- K- Warranty for Name board lights 2 years
- L- Work completion period one week from the date of Work order. If the work is not completed within the stipulated period and it is evident that the progress of work is not up to the mark, TCMPF Ltd., Shall have all the rights to rescind the contract and execute.
- M- Contractor is responsible for any damage of federation items and cost will be recovered from the contractor.
- N- Security of items Contractor is responsible for work completion / handing over to federation.
- **O-** Federation have right to cancel the tender, and increase or reduce the quantity by 25% of work order.
- P- The contractual agreement shall be made to the contractor.

I agree to abide by the above instructions

SIGNATURE OF THE TENDERER With Date & Seal

Letters 3D Acrylic Embossed Aluminium Channel Letters (Tamil & English) with LED Lighting Mounted on ACP Board Frame. Tamil & English letter size should be 5:3 ratio as per the Tamilnadu government rules. Laser cutting letters of male & female cups with 3 inch depth and waterproofing (silicon pasting) Aluminium trip cap thickness : 1.2mm Female letter: Foam board 10mm. Acrylic 040 with laser cut (white / multicolour) Letter depth : 3 inch LED light: Philips LED Modules strip / Back-lit 160 Deg White / Colour - 0.5W/0.9W/2.0W/3.7W IP20 or IP65 [Back Light led sign modules] suitable for Letter signs. Operating voltage: DC 9V/12V, Working temp: -30°C to +45°C., Max distance between the strips/wall shall be 1	Sq FT
LED Lighting Mounted on ACP Board Frame. Tamil & English letter size should be 5:3 ratio as per the Tamilnadu government rules. Laser cutting letters of male & female cups with 3 inch depth and waterproofing (silicon pasting) Aluminium trip cap thickness : 1.2mm Female letter: Foam board 10mm. Acrylic 040 with laser cut (white / multicolour) Letter depth : 3 inch LED light: Philips LED Modules strip / Back-lit 160 Deg White / Colour - 0.5W/0.9W/2.0W/3.7W IP20 or IP65 [Back Light led sign modules] suitable for Letter signs. Operating voltage: DC 9V/12V, Working temp: -30°C to +45°C., Max distance between the strips/wall shall be 1	Sq FT
LED light: Philips LED Modules strip / Back-lit 160 Deg White / Colour - 0.5W/0.9W/2.0W/3.7W IP20 or IP65 [Back Light led sign modules] suitable for Letter signs. Operating voltage: DC 9V/12V, Working temp: -30°C to +45°C., Max distance between the strips/wall shall be 1	
inch, and 100 to 144 LED per meter of strips. Electrical wire: 2.5 Sq multi strand 2core (finolex / orbit / Polycab).	
Design: Design is scope of the contractor but required prior approval from TCMPF before executing the work. Fabricate and assemble the 3D letters with easy maintenance, disassemble, and flexibility for repair of damaged parts in future. Drain holes shall be provided on the bottom of each letter Support structure (scaffolding) for executing the work is contractor scope and contractor shall be ensuring compliance with any relevant safety and regulatory standards.	
Removing damaged old 3D letter lights and surface finishing is scope of the successful bidders Guarantee for LED 3D Acrylic Embossed Alu. Channel Letters is Two years, if any fault, successful bidders should be replace free of cost	
	from TCMPF before executing the work. Fabricate and assemble the 3D letters with easy maintenance, disassemble, and flexibility for repair of damaged parts in future. Drain holes shall be provided on the bottom of each letter Support structure (scaffolding) for executing the work is contractor scope and contractor shall be ensuring compliance with any relevant safety and regulatory standards. Removing damaged old 3D letter lights and surface finishing is scope of the successful bidders Guarantee for LED 3D Acrylic Embossed Alu. Channel Letters is Two

I agree to abide by the above instructions

SIGNATURE OF THE TENDERER With Date & Seal