# TAMIL NADU CO-OPERATIVE MILK PRODUCERS' FEDERATION LTD.,



## **E-Tender Document for**

"SUPPLY & INSTALLATION OF AUTOMATED CULTURE MEDIA PREPARATOR, POURER STACKER WITH SPIRAL PLATER - 1 NO. AT RESEARCH AND DEVELOPMENT LABORATORY, PRODUCTS DAIRY, AMBATTUR, CHENNAI"

Tender Reference No: 2507/DGM (QA)/HO/2025

#### THE DEPUTY GENERAL MANAGER (QA),

Tamil Nadu Co-operative Milk Producers' Federation Ltd., Head Office, Aavin Illam,

3-A, PasumponMuthuramalinganar Salai, Nandanam, Chennai – 600 035.

Phone: 044-23464500/01/02/03/04/05/13

E-Mail:purchaseqcho@aavin.tn.gov.in, aavindgmqcho@gmail.com

Website for online bid submission https://tntenders.gov.in

# **TENDER INFORMATION**

Name and address of the Purchaser	THE MANAGING DIRECTOR, TAMILNADU COOPERATIVE MILK PRODUCERS' FEDERATION LIMITED  No.3A, Aavin Illam, Pasumpon Muthuramalingam Salai, Nandanam, Chennai – 600 035. Phone: 044-23464500/01/02/03/04/05 E-Mail: aavindgmqcho@gmail.com
2. Name and address of the User	The Deputy General Manager (QA), Head Office No.3A, Aavin Illam, 4th Floor, Pasumpon Muthuramalingam Salai, Nandanam, Chennai – 600 035.
3. Name of the Item / Work	Supply and Installation of AUTOMATED CULTURE MEDIA PREPARATOR, POURER STACKER WITH SPIRAL PLATER - 1 No. at Research & Development Laboratory, Products Dairy, Ambattur
4. Method of Tender	e-Tender System (Online Technical Bid and Financial Bid) through e-Procurement Portal <a href="https://tntenders.gov.in">https://tntenders.gov.in</a>
5. Tender Reference Number	2507/DGM (QA)/HO/2025
6. Tender Estimated Value	Rs. 75.00 Lakhs
7. Earnest Money Deposit (EMD)	Rs. 75,000.00
8. URL for online bid submission for e-tender	https://tntenders.gov.in
9. Cost of Tender Document	Tender documents can be downloaded at free of cost from the website <a href="https://tntenders.gov.in">https://tntenders.gov.in</a>
10. Tender Document Availability on the Portal	From: 22.02.2025 to 13.03.2025 upto 3 PM
11. Date of Pre-Bid meeting	NA
12. Date of Closing of	Date: 13.03.2025
e-Submission of Technical Bid and Financial Bid.	Time: 3 PM
13. Date and time of opening of	Date: 14.03.2025
Part I Technical Bid of e-Tender	Time: 3 PM

# **TABLE OF E-TENDER DOCUMENT CONTENTS**

<u>Clause</u>	<u>Description</u>	<u>Page</u>
<u>No.</u>	DDEAMBLE OF E TENDED	No.
2.0	PREAMBLE OF E-TENDER INSTRUCTION TO BIDDERS	5
		5
3.0	MODE OF SUBMISSION	5
4.0	LANGUAGE OF THE E-TENDER	
5.0	PRE-QUALIFICATION CRITERIA – TECHNICAL BID (PART-I)	6-7
6.0	SCOPE OF WORK	7
7.0	DELIVERY SCHEDULE	8
8.0	TOTAL QUANTITY TO BE SUPPLIED	8
9.0	EARNEST MONEY DEPOSIT	8-10
10.0	COST OF BIDDING	10
11.0	SUBMISSION OF E-TENDER	10-12
12.0	SIGNING OF BIDS	12
13.0	MODIFICATIONS / CLARIFICATIONS TO TENDER DOCUMENTS	12-13
14.0	WITHDRAWAL OF BIDS	13
15.0	OPENING OF E-TENDER	13-14
16.0	E-TENDER EVALUATION CRITERIA	14-15
17.0	REJECTION OF TENDERS	15
18.0	NEGOTIATION	15
19.0	VALIDITY OF PRICE TENDER	16
20.0	DEVIATIONS	16
21.0	PAYMENT TERMS	16
22.0	WARRANTY	16-17
23.0	FORCE MAJEURE	17-18
24.0	DISPUTES AND ARBITRATION	18
25.0	LEGAL JURISDICTION	18
26.0	AMBIGUITIES IN CONDITIONS OF TENDERS	18
27.0	RIGHTS OF THE TCMPF	18
28.0	TECHNICAL SPECIFICATION	19-22
II	ANNEXURE	
	PROFILE OF THE BIDDING ORGANISATION - ANNEXURE-I	23-24
	DETAILS OF ABANDONMENT OF WORK LITIGATION / DEBARRING	25
	DONE- ANNEXURE-II	
	DECLARATION FORM – ANNEXURE-III	26-27
	DETAILS OF SERVICE CENTER- ANNEXURE-IV	27
	FINANCIAL CAPABILITY- ANNEXURE - V	28
	BIDDER'S EXPERIENCE DETAILS - ANNEXURE - VI	29
	CONFIRMITY OF TECHNICAL SPECIFICATION- ANNEXURE - VII	30
	FINANCIAL BID – ANNEXURE- VIII	31
III	CHECKLIST	32

# **ACRONYMS USED IN THE TENDER DOCUMENT**

TCMPF LTD.	TAMILNADU COOPERATIVE MILK PRODUCERS'
	FEDERATION LIMITED
MSME	MICRO, SMALL, MEDIUM & ENTERPRISES
SSI	SMALL SCALE INDUSTRIES
BIS	BUREAU OF INDIAN STANDARDS
DD	DEMAND DRAFT
EMD	EARNEST MONEY DEPOSIT
SD	SECURITY DEPOSIT
LD	LIQUIDATED DAMAGES
BG	BANK GUARANTEE
LOA	LETTER OF ACCEPTANCE
GST	GOODS AND SERVICE TAX
F.O.R.	FREIGHT ON ROAD

#### 1.0).PREAMBLE OF E-TENDER:-

- 1.1). The Dy. General Manager (QA), Head Office, TCMPF LTD. Ltd. invites Bids by way of E-Submission only from reputed manufacturers / supplier to submit e-Tender for Supply and Installation of Automated Culture Media Preparator, Pourer Stacker With Spiral Plater 1 No. for Research and Development Laboratory, Products Dairy, Ambattur, Chennai- 600 098.
- 1.2). Applicability of Tamil Nadu Transparency in Tenders Act, 1998: This Tender will be governed by the Tamil Nadu Transparency in Tenders
  Act, 1998 and The Tamil Nadu Transparency in Tenders Rules, 2000 and
  subsequent amendments thereof are applicable to this Tender.

#### 2.0).INSTRUCTION TO BIDDERS: -

- 2.1). The tenders are in **Two Part System** (a) Technical Bid without Financial Bid and (b) Financial Bid. All the Bidders are requested to examine the instructions, terms & conditions and specifications laid down in the Tender. Failure to furnish all required information in every aspect will be at their risk and may result in the rejection of their bid.
- 2.2). THE BIDDERS WHO DO NOT FULFIL THE "PRE-QUALIFICATION CRITERIA"AS PER CLAUSE 5.0 NEED NOT TO PARTICIPATE IN THE TENDER. OFFERS NOT SATISFYING THIS "PRE-QUALIFICATION CRITERIA" WILL NOT BE CONSIDERED AND WILL BE SUMMARILY REJECTED.
- 2.3 THE BIDDER SHALL ALSO MEET OUT THE OTHER TENDER REQUIREMENTS TO QUALITY IN THE TECHNICAL BIDS IN ADDITION TO THE "PRE-QUALIFICATION CRITERIA"

#### 3.0). MODE OF SUBMISSION:

- 3.1).All the documents are to be uploaded in the Online Portal only.

  Website <a href="https://tntenders.gov.in">https://tntenders.gov.in</a>.
- 3.1.1). Part A Technical Bid
- 3.1.2). Part B Financial Bid

#### 4.0). LANGUAGE OF THE E-TENDER: -

All information in the tender offer shall be in **ENGLISH** only. It shall not contain interlineations, erasures or over writings except as necessary to correct errors made by the bidder.

# 5.0). PRE-QUALIFICATION CRITERIA - TECHNICAL BID (PART-I): -

The Bidders should meet the following Pre-Qualification Criteria for bidding this tender and the proof for the Eligibility should be provided in the Technical Bid.

Due Constitue Culturale Description in the Constitue of C			
Pre-Qualification Criteria	Proof to be submitted for fulfilling the Pre-Qualification Criteria		
5.1). E-Remittance towards EMD Amount	Bidder shall upload the details of E- Remittance towards EMD Amount.		
5.2). The bidder should be an Original Equipment Manufacturer/ Authorized Dealer of tendered item, Automated Culture Media Preparator, Pourer Stacker With Spiral Plater	<ul> <li>Bidder Should enclose the Profile of the Organisation as per Annexure-I</li> <li>If the bidder is an authorized dealer of an Original Equipment Manufacturer (OEM) of tendered item Automated Culture Media Preparator, Pourer Stacker With Spiral Plater , they should furnish         <ul> <li>A valid authorization letter from the original Equipment manufacturer (OEM) to the effect that the bidder is their authorized dealer for the items mentioned in the tender.</li> <li>✓ MSME Udyam Registration certificate of authorised dealer.</li> </ul> </li> <li>Bidder shall also enclose the Annexure-II: Information Regarding Current Litigation / Debarring / Expelling of Applicant or Abandonment of Work by The Applicant</li> <li>Bidder shall submit the Declaration Form to accept the tender terms and conditions as per Annexure-III.</li> <li>Bidder shall submit the details of availability of service centres and service persons as per the Annexure-IV</li> </ul>		
5.3).FINANCIAL TURNOVER: The bidder shall have average annual sales turn-over equal to the tender estimated value (i.e Rs. 15.0 Lakh) for the last three financial years (2021-2022, 2022-2023, 2023-2024)	Bidder should enclose either the Annual Turn Over Certificate for the 3 financial years i.e., 2020-21, 2021-2022, 2022-2023 certified by Chartered Accountant or Annual statement of Accounts (i.e.) Profit & Loss Accounts/Balance Sheet for 3 financial years as per Annexure-V certified by Chartered Accountant		
5.4).CONFORMITY OF TECHNICAL SPECIFICATIONS: The bidder should meet out all the parameters mentioned in the Technical Specification			

#### **5.5).PAST EXPERIENCE**:

The bidder should have previous experience for supply & installation of Automated Culture Media Preparator, Pourer Stacker With Spiral Plater in India either to any Govt. / Quasi Govt. and Private organizations within a period of last 5 years from the date of tender opening

- Bidder should enclose the experience details in Annexure- VII along with the copy of at least 2 purchase orders / supply orders for any two of the following within a period of last 5 years from the date of tender opening.
  - a) Automated Culture Media Preparator
  - b) Automated Pourer Stacker
  - c) Automated Spiral Plater
- If the bidder is an authorized dealer / supplier for tendered items, then the experience of the original manufacturer for supply of tendered items, their P.O and Performance will be taken for evaluation of technical bids, even if the supply has been made either by the manufacturer directly or through other agencies in addition to the supply made by the bidder.

# **5.6).PERFORMANCE CRITERIA:** The performance certificate from

any Govt. / Quasi Govt. and Private organizations in India for the supply & installation Automated Culture Media Stacker Preparator, Pourer With Spiral Plater within a period of 5 years from the date of tender opening

Bidder should enclose the of copy Satisfactory Performance Certificate/Successful Installation Report for **at least 2 Nos.** of the supply & installation of Automated Culture Media Preparator, Pourer Stacker With Spiral Plater for the P.O.quoted as per 5.5.in the letter head of any Govt. / Quasi Govt. and Private organizations in India (indicating the period of supply) within the period of last 5 years from the date of tender opening

Note:

For evaluation and comparison of bids, the purchaser may, at its discretion, ask the bidder for clarification on the bid. The shortfall information/documents shall be sought only in case of historical documents which pre-existed at the time of tender opening and which have not under gone change since then.

So far as the submission of the documents is concerned with regard to qualification criteria, after submission of the tender, only related shortfall documents shall be asked for and considered

#### 6.0) SCOPE OF WORK

Supply and Installation of Automated Culture Media Preparator, Pourer Stacker With Spiral Plater - 1 No. at Research and Development Laboratory, Products Dairy, Ambattur on F.O.R. destination basis conforming to the technical specifications mentioned in the tender document. Supplier shall arrange manpower required to lift the equipment to the laboratory located in 1<sup>st</sup>Floor.

#### 7.0). DELIVERY SCHEDULE: -

7.1). Supply : 2 month from the date of receipt of purchase order (or) I

month from the readiness of site whichever is later

7.2).Installation : 1 month from the readiness of site (or) receipt of

Material at site whichever is later

#### 8.0). TOTAL QUANTITY TO BE SUPPLIED

# 8.1). Details of quantity of following equipment to be supplied is as follows

SI. No.	Name of equipment	
_	Supply and Installation of Automated Culture Media Preparator, Pourer Stacker With Spiral Plater - 1 No. at Research and Development Laboratory, Products Dairy, Ambattur	1 No.

#### 9.0).EARNEST MONEY DEPOSIT

9.1). Bidder should pay the specified amount towards Earnest Money Deposit as follows:

SI. No.	Name of equipment		EMD amount
1	Supply and Installation of Automated Culture Media Preparator, Pourer Stacker With Spiral Plater - 1 No. Research and Development Laboratory, Products Dairy in Ambattur	1No.	Rs.75,000.00

- 9.2).Online payment gateway has been enabled for Tamil Nadu Cooperative Milk Producers' Federation Limited, Chennai in e-Procurement Portal <a href="https://tntenders.gov.in">https://tntenders.gov.in</a>. The EMD amount should be paid only through online payment mode in e-tender portal of <a href="https://tntenders.gov.in">https://tntenders.gov.in</a>.
- 9.3). The EMD will not carry any interest.
- 9.4). Bidder has to select the payment option as "pay online" to pay the EMD amount. Only after payment of EMD, bidder will be able to encrypt/upload their bids. In order to avoid any issues and last-minute delay in processing of payment online, it is recommended to make payment and submit the bid as early as possible. TCMPF LTD. will not be responsible for any sort of difficulty faced/failure in submission of bids online by the bidder
- 9.5). Any other mode of payment of EMD shall not be accepted

#### 9.6). Online payment mode (EMD):

- 9.6.1). During online bid submission process, bidder shall select SBI MOPS option and submit the page, to view the terms and conditions page. On further submission, bidder will be re-directed to MOPS gateway, where two options namely SBI and Other Banks will be shown; here the bidder may proceed as follows:
- 9.6.1.1). SBI Account Holder: Shall click 'SBI' option to view the Net Banking Facility, where they can enter their internet banking credentials and transfer the EMD amount.
- 9.6.1.2). Other Bank Account Holders: Shall click 'Other Bank' option to view the bank selection page and select their respective bank to proceed with Net banking Facility for payment of EMD.
- Note Bidders using "Other Bank" option under SBI MOPS payment Gateway are advised by SBI to make online payment 72 hours in advance before tender submission closing time.
- 9.6.2). Any transaction charges levied while using any of the above modes of online payment has to be borne by the bidder.
- 9.6.3). The bidders will be evaluated only if payment status shows "Success" during bid opening. It is necessary to click on "Freeze bid" link/icon to complete the process of bid submission, otherwise the bid will not get submitted online and same shall not be available for viewing/opening during technical bid opening.

#### 9.7). Refund of EMD of unsuccessful bidders:

The EMD paid by the bidder will automatically be deposited in the "Pooling Account" of the State Govt. only and not in TCMPF Ltd.'s account. Hence refund process will be initiated automatically, once the bid is rejected by TCMPF Ltd. during technical / financial evaluation and TCMPF Ltd. is no way responsible for refund of EMD of the unsuccessful bidders.

#### 9.8).EMD EXEMPTION

- 9.8.1). The SSI Units claiming exemption from the payment of EMD subject to ensuring that the tendered item should be covered in their Registration Certificate showing the materials permitted to manufacture.
  - 9.8.1.1). The firms located within the State of Tamil Nadu having Udyam Registration Certificate / NSIC, in respect of items manufactured by

them for which tenders have been called for alone will be granted exemption from payment of EMD. (Major activity should be Manufacturing)

9.8.1.2). The firms located outside the State of Tamil Nadu having Udyam Registration Certificate /NSIC are not eligible for exemption from payment of EMD.

#### 9.8.1.3). EMD Exemption is not applicable for the Imported items

Note: a). The offers will be rejected, if the firm located outside the State of Tamil Nadu has uploaded Udyam Registration certificate/NSIC towards Exemption from payment of EMD.

- b). If the bidder has participated as a supplier, they should pay the EMD amount as per the prescribed mode of payment. The exemption from EMD payment is only available for manufacturers. There is no exemption for suppliers from paying the EMD.
- 9.9). Tenders not accompanied with Online Payment towards the prescribed EMD or the relevant documentary proof for the exemption thereon shall be summarily rejected.

#### 10.0). COST OF BIDDING

The bidder shall bear all costs associated with the preparation and submission of its tender and TCMPF Ltd. will in no case be responsible or liable for these costs, regardless of the conduct or outcome of the tendering process.

#### 11.0. SUBMISSION OF e-TENDER

Two-part (Technical and Financial Bid) online system should be uploaded in e-Procurement Portal (https://tntenders.gov.in):

#### 11.1). General Instructions for Two Part E-Tender:

- 11.1.1). The tender invited under two stage tender system viz. (PART A) Technical Bid and (PART B) Financial Bid. The first stage enables TCMPF Ltd. to know whether the Bidder is technically competent and capable of executing the order. Only those who qualify in the first stage would be eligible to take part in the second stage viz. Financial Bid. The Financial Bid of Bidders who failed in the first stage will not be opened.
- 11.1.2). Both the Technical and Financial Bids should be submitted in TN e-Procurement Portal <a href="https://tntenders.gov.in">https://tntenders.gov.in</a>.

- 11.1.3). Documents listed in the Tender Clause No.11.2 shall be uploaded.
- 11.1.4). In Financial Bid The firm rates alone are to be quoted in the Financial Bid Annexure-VIII (BOQ & pdf Format) and to be uploaded online.

#### 11.2) Details to be Uploaded in the Technical Bid:

- 11.2.1). Details of E-Remittance towards EMD Amount as per **Tender Clause**No.5.1.
- 11.2.2). If the bidder is claiming EMD exemption, a copy of valid document proof of EMD exemption to be uploaded in accordance with **Tender Clause No.9.8.**
- 11.2.3). Documentary evidence for manufacturer / authorized dealer of tendered item as per **Tender Clause No.5.2.**
- 11.2.4). Documentary evidence for average annual sales turn-over for the last three financial years (2020-21, 2021-2022, 2022-2023) as per **Tender Clause No.5.3.**
- 11.2.5).Documentary evidence for conforming to the tender specifications along with the catalogue of the quoted equipment mentioned with the Make/ Model No., as per **Tender Clause No. 5.4**
- 11.2.6).Copies of purchase orders / supply orders within a period of 5 financial years in respect of tendered items as per **Tender Clause No. 5.5.**
- 11.2.7).Copies of Satisfactory supply Completion Certificate / Performance Certificate (indicating the period of supply) for which Purchase Order / Supply order furnished as per 5.5 within a period of 5 years from the date of tender opening as per **Tender Clause No.5.6.**
- 11.2.8). The following Supporting Documents, including the Annexures /
  Amendments are to be uploaded duly signed and sealed in each and
  every page
  - 11.2.8.1) : Profile of the Bidding Organisation as per Annexure-I
  - 11.2.8.2) : Details of Abandonment of work Litigation / debarring done as per Annexure-II
  - 11.2.8.3) : Declaration Form to accept the tender terms and conditions as per Annexure-III
  - 11.2.8.4) : Service Centre and Service Personnel detail as per AnnexureIV
  - 11.2.8.5) : Financial Capability as per Annexure-V

11.2.8.6) : Compliance of Technical Specification as per Annexure – VI

11.2.8.7) : Bidder's Experience Details as per Annexure- VII

11.2.8.8) : Any other documents wherever insisted in the tender

document.

#### 11.3). Details to be Uploaded in Financial Bid:

11.3.1). All rates shall be quoted as BOQ & PDF file in the format provided in Annexure- VIII and no other format is acceptable.

11.3.2). This financial bid will be opened only if the bidder is qualified to execute the tender as per technical bid.

#### 12.0). SIGNING OF BIDS:

- 12.1). The signatory of the tender should indicate his/their designation in which he/they have signed and submit necessary documentary proof admissible in law in respect of such authority assigned to him/them by the firm.
- 12.2). If the Qualification application is made by a FIRM in partnership, it shall be signed by all the partners of the firm with their full names and current address or by a partner authorized by the firm (either as per Articles of the Deed of Partnership / by power of attorney)- for signing in Tenders, Agreements etc. In which case, certified copy of the registered deed of Partnership along with the current address of all the partners and a certified photocopy of the Registered Power of Attorney issued in favour of the Signatory, should be produced.
- 12.3).If the Qualification Application is made by a Limited Company or a Limited Corporation, it shall be signed by a duly authorized person holding the Power of attorney for signing the application, in which case, the certified copy of the power of attorney shall accompany the qualification application. Such limited company or corporation shall also furnish satisfactory evidence of its' existence along with the Qualification schedule

#### 13.0). MODIFICATIONS / CLARIFICATIONS TO TENDER DOCUMENTS:

13.1). At any time after the issue of the tender documents and before the opening of the tender, TCMPF Ltd. may make any changes, modifications or amendments to the tender documents and the same will be intimated to the concerned vendors through corrigendum which can be downloaded from the vendor login.

- 13.2). If any bidder requests clarification on the tender documents within 48 hours before the tender opening, the DGM (QA), Head Office, TCMPF Ltd., will provide the necessary clarification.
- 13.3).The responses to the clarification will also be notified on <a href="https://tntenders.gov.in">https://tntenders.gov.in</a> without indicating the source of query
- 13.4).TCMPF Ltd. at its discretion may or may not extend the due date and time for the submission of bids on account of amendments.
- 13.5).All the Bidders must periodically browse website <a href="https://tntenders.gov.in">https://tntenders.gov.in</a>
  till the closing date of this Tender for any amendments or corrigendum issued in connection with this Tender. TCMPF Ltd. will not be responsible for any misinterpretation of the provisions of this tender document on account of the Bidders failure to update the bid documents based on changes announced through the website.

#### 14.0). WITHDRAWAL OF BIDS

14.1). No Bidder shall be allowed to withdraw the tenders after submitting the tender on the portal. If do so their EMD will be forfeited.

#### 15.0). OPENING OF e-TENDER

#### 15.1). Opening of Technical Bids without Price (Part-I):

- 15.1.1).The Tender offers except Financial Bid will be opened electronically on the date and time notified at the Office of the Deputy General Manager (QA), TCMPF Ltd., No.3A, Aavin Illam, 4<sup>th</sup> Floor, Pasumpon Muthuramalingam Salai, Nandanam, Chennai 600 035, through e-Procurement Portal <a href="https://tntenders.gov.in">https://tntenders.gov.in</a> in the presence of Committee members authorized by the Managing Director, TCMPF Ltd
- 15.1.2). Technical Bid would be opened first on the due date and time. Pre-Qualification Criteria such as payment of EMD and compliance with prequalification conditions will be checked. The supporting documents would be cross checked wherever required.
- 15.1.3). Only the Technical Bid will be opened on the due date.
- 15.1.4). In the event of the specified date for tender opening day is declared as a holiday, bids will be opened on the next working day at the same time and venue.

#### 15.2) Opening of the Financial Bids: (Part - II)

The Financial Bid of the technically qualified bidders will be opened in the presence of committee members authorized by the Managing Director, TCMPF Ltd. through e-Procurement Portal <a href="https://tntenders.gov.in">https://tntenders.gov.in</a>

#### 16.0). e-TENDER EVALUATION CRITERIA

The tenders will be evaluated strictly as per the Tamil Nadu Tenders Transparency Act 1998 and the Tamil Nadu Transparency in Tenders Rules 2000 and amendments made thereon in the Act & Rules by the Government

#### 16.1). Technical Bid Evaluation:

Bidders will be eligible for further processing, only if they fulfil the following criteria:

- 16.1.1). Payment of EMD or submission of valid Exemption Certificate in accordance with Tender Clause No.9.0.
- 16.1.2). Furnishing the tender document, Annexures, Amendments if any and any other document wherever insisted in the tender document duly signed.
- 16.1.3). Compliance with the Pre-Qualification Criteria indicated in Tender Clause no 5.0
- 16.1.4). Compliance with Technical specifications of tendered item as per tender Clause 28.0.
- 16.1.5).If any clarification is needed from the bidder about the deficiency in his uploaded documents in technical bid he will be asked to provide it through Tamil Nadu Tender portal. The bidder shall upload the requisite clarification/ documents within the time specified failing which tender will be liable for rejection.
- 16.1.6). TCMPF Ltd. will prepare a list of Bidders based on the compliance of detailed Technical Specifications for tendered item and company profile as given in Tender form. The Tenders, which do not conform to the Technical Specifications or Tender conditions or Tenders from Companies without adequate capabilities for supply shall be rejected. The eligible bidders alone will be considered for further evaluation.
- 16.1.7). The veracity of the bidder-uploaded documents will be verified wherever required.

#### 16.2). Financial Bid Evaluation

- 16.2.1). For the purpose of evaluation of tender offers, the following factors will be taken into account for arriving the evaluation price.
- 16.2.2). The evaluation of offer will be computed by taking into account Supplyand Installation put together.
- 16.2.3). The evaluation for L1 shall be on total end price of all items.

#### 17.0).REJECTION OF TENDERS

#### 17.1). Tender will be SUMMARILY rejected if

- 17.1.1). The EMD requirements are not complied with as specified in Tender Clause 9.0.
- 17.1.2). Bid Pre-Qualification Criteria as specified in Tender Clause 5.0 are not complied with.
- 17.1.3). If the documents furnished with the offer is found to be bogus or the documents contains any false particulars.
- 17.1.4). If the Financial Document mentioned with rate/value is enclosed with the Technical document.

#### 17.2). Tender is LIABLE to be rejected, if it is:

- 17.2.1). Not covering the entire scope of supply, erection and commissioning of equipment/ materials with all accessories.
- 17.2.3).Not in conformity with TCMPF Ltd.'s tender terms and Technical Specifications.
- 17.2.4). Not properly signed by the bidder.
- 17.2.6). From any black listed Firm or Contractor.
- 17.2.7). Received by Telex/Telegram / E-Mail /fax.
- 17.2.8). Not containing all required particulars as per Annexures I to VII.
- 17.2.9). Offer submitted without GSTIN and PAN is liable for rejection.

#### 18.0). NEGOTIATION

TCMPF Ltd. reserves the right to negotiate with the Bidder whose offer is the lowest evaluated price for further reduction of price. TCMPF Ltd. Ltd also reserves the right to negotiate with other Bidders to match the negotiated L1 price, strictly according to the Tamil Nadu Transparency in Tenders Rules, 2000.

#### 19.0). VALIDITY OF PRICE TENDER:

- 19.1). The rate quoted should be valid for a minimum period for 180 days for acceptance from the due date. The offers with lower validity period are liable for rejection. During the validity period, no bidder is permitted to make any upward revision in the rate. Further no bidder is permitted to withdraw their offer within the validity period of the tender or before finalisation of Tender.
- 19.2).In exceptional circumstances, TCMPF Ltd. Ltd may solicit the bidder's consent for an extension of the period of validity totally not exceeding 180 days. The request and the responses thereto shall be made in writing.

#### **20.0) DEVIATIONS:**

- 20.1). The offers of the Bidders with Deviations in Commercial terms and Technical Terms of the Tender Document are liable for rejection.
- 20.2). No alternate offer will be accepted.
- 20.3). No deviation will be allowed from the tender terms and conditions. Tenders with deviation will be summarily rejected. The Bidder has to submit a Certificate that the tender is in complete conformity with the tender terms and conditions as per format vide Annexure-IV

#### 21.0). PAYMENT TERMS:

#### 21.1). Supply & Installation:

- 21.1.1). The 70% of basic price + taxes and other charges shall be released on receipt of satisfactory Supply tendered items in good condition at site
- 21.1.2). The remaining 30% of payment shall be released after 3 months from the date of satisfactory Supply & Installation of the tendered items
- 21.1.3). Bidder shall submit all the documents mentioned as per the Tender Terms & Conditions along with the invoice.

#### 21.2).NO OTHER TERMS OF PAYMENT WILL BE ENTERTAINED.

#### 22. WARRANTY:

22.1 The entire equipment should be guaranteed for satisfactory operation & performance and good workmanship during the Warranty period. This warranty shall include all spares & components (including those spares that can be deemed as consumable components).

- 22.2. Any defects noticed during this period shall be rectified free of cost to the TCMPF Ltd. immediately on intimation of defect/ failure. The incidental expenses like Packing & Forwarding charges, Freight & Insurance charges etc. for replacement of defective equipments within the warranty period shall also be borne by the supplier. Irrespective of number of failures and repairs, the suppliers are responsible for replacement of defective materials till the warranty period.
- 22.3. A written warranty to the TCMPF Ltd. against defects in the materials supplied, either in materials or workmanship should be furnished preferably along with the bill payment. The warranty shall be operative from the date of supply or from the date of satisfactory installation whichever is later.
- 22.4. Any defects or failure occurring within the warranty period shall be replaced free of cost within the maximum 15 Days (Fifteen Days) from the date of receipt of intimation from the purchaser on such defects of failures. Any expenditure incurred in the transportation of material / equipment for rectification or replacement will be to the supplier's account.

#### 23.0). FORCE MAJEURE:

- 23.1). Failure or delay in the part of bidder for supply due to force majeure causes enumerated here under shall be considered, provided the supplier produces documentary evidence.
  - a. Any cause which is beyond the reasonable control of the bidder.
  - b. Natural phenomena, such as floods, drought, earthquakes and epidemics.
  - c. Act of any Govt. Authority, domestic or foreign, such as wars declared or undeclared quarantines, embargoes licensing control on production or distribution restrictions.
  - d. Accident and disruptions such as fire, explosion, increase in power cut with respect to date of tender opening etc.,
  - e. Strikes, slow down and lockouts.

23.2). The cause of force majeure condition will be taken into consideration only if the supplier notifies within 30 days from the occurrence of such eventualities. The purchaser shall verify the facts and grant such extension as the facts justify. For extension due to force majeure conditions, the supplier shall submit his representation with documentary evidence for scrutiny by the purchaser and decision of the purchaser shall be binding on the time.

#### 24.0). DISPUTES AND ARBITRATION:

In case of disputes arising out of this tender, an arbitrator as mutually acceptable to the bidder and TCMPF will be appointed by the Managing Director, TCMPF Limited. The arbitrator's decision shall be final, conclusive and binding on both the parties.

#### 25.0). LEGAL JURISDICTION

In case if either party to the tender is aggrieved by the award of the arbitrator so appointed as per clause 24.0 or otherwise, they can appeal to Court of Deputy Registrar (Dairying), Thiruvallur. The legal jurisdiction will be only Deputy Registrar (Dairying), Thiruvallur Court.

#### **26.0). AMBIGUITIES IN CONDITIONS OF TENDERS:**

In the case of ambiguous or contradictory terms / conditions mentioned in the bid, interpretation as may be advantageous to the purchaser will be taken without any reference to the Bidder.

#### 27.0).RIGHTS OF THE TCMPF:

- 27.1). Time being the essence of contract no variation shall be permitted in the delivery time as prescribed in the delivery schedule. If the bidder fails to supply and execute the work in full or part of the order as per the delivery schedule, the TCMPF shall reserve the right to cancel the order besides forfeiture of Security Deposit.
- 27.2). Notwithstanding anything contained in the tender schedule, no obligation rests on the TCMPF to accept the lowest tender and the TCMPF shall also have the right to accept or reject any or all the tenders fully or partly without assigning any reasons.
- 27.3). For violation of any of the terms and conditions of the contract, the TCMPF reserves the right to terminate the contract, with or without notice as applicable.
- 27.4) The Managing Director, TCMPF reserves the right to cancel the tender at any time without any notice.

# 28.0). TECHNICAL SPECIFICATION FOR AUTOMATED CULTURE MEDIA PREPARATOR, POURER STACKER WITH SPIRAL PLATER

1. GRAVIMETRIC DILUTER	Qty: 1 No.
Purpose	<ul> <li>The Instrument to be used for sample preparation for microbiological analysis.</li> <li>The Instrument should work automatically dilutes a solid sample in seconds, with the appropriate weight of diluents with all traceability.</li> </ul>
Material of Construction	<ul> <li>It should be made with Stainless Steel Body</li> </ul>
Weighing range	<ul> <li>0.1 g to 3000 g or better</li> </ul>
Resolution	• up to 200 g: 0.01 g or Better
Max. weight without support	• up to 4500 g or better
Instrument Weighing accuracy	• ≤0.1 % or better
Dilution/distribution accuracy	• > 99% or better
Other requirements	<ul> <li>It should have in built weighing machine and automatic dispensing pump and it should have automatic dilution of solid samples based on weight</li> <li>It should be supplied with double Pump head dispensing of liquid for increased speed and includes connectivity options for barcode scanners and printers to enhance traceability.</li> <li>It should be supplied with Stand to open bag for ease in pouring diluents.</li> <li>Built-in bubble level for enhanced accuracy.</li> <li>adjustable holder to accommodate various containers, ensuring stability with a removable pump and integrated spirit level.</li> <li>It should be provided with RS 232 output for printer and USB for computer.</li> <li>It should be supplied with removable drip tray. In case of splashing, the drain tray to be removable for rinsing to avoid tedious cleaning.</li> </ul>
2. HOMOGENIZER	Qty: 1 No.
Purpose	<ul> <li>It should be used for reliable performance for mixing, emulsifying, and homogenizing samples.</li> </ul>
Туре	<ul> <li>Dual Paddle based Homogenizer for Food</li> </ul>

	Camples			
	Samples			
Material of Construction	and easily removable for cleaning.  The should be made with Stainless Stand			
Material of Construction	It should be made with Stainless Steel			
	Body			
optimal blending volume	• up to 500 ml			
Display	It should have Digital multifunction screen			
Speed Adjustment	It should have Min.4 Speed adjustments			
Instrument running time	• 1 second - 1 hour or ∞/count-down			
Other requirements	<ul> <li>Provisions for status of the homogenizer</li> </ul>			
	<ul> <li>It should have brushless motor</li> </ul>			
	• It should be supplied with integrated			
	security drip tray			
	• It should have removable paddle for easy			
	cleaning and it should be autoclavable.			
	It should have Sensor to detect if any bag			
	is leaking during homogenizing.			
	It should have double layer Window type			
	door for visibility during the operation			
	• It should be compliance with ISO			
	standard.			
Consumable	• It should be provided with 500 bags for			
	homogenisation of food samples.			
3. SEMI AUTOMATED DISP	<u> </u>			
Purpose	<ul> <li>It is used for dispensing of culture media,</li> </ul>			
	agar and any type of diluent.			
Material of Construction	• It should be made with Stainless Steel			
	Body			
Speed range	Max. 500 RPM or Better			
Volume Range				
Flow Rate	• up to 100 L			
Accuracy	<ul><li>up to 100 L</li><li>2 ml/min upto 1.5 L/min. or Better</li></ul>			
	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to</li> </ul>			
	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> </ul>			
Other Requirements	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> <li>It should be supplied with single pump</li> </ul>			
Other Requirements	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> <li>It should be supplied with single pump head</li> </ul>			
Other Requirements	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> <li>It should be supplied with single pump head</li> <li>It should have user friendly interface and</li> </ul>			
Other Requirements	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> <li>It should be supplied with single pump head</li> <li>It should have user friendly interface and customisable programming option up to</li> </ul>			
Other Requirements	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> <li>It should be supplied with single pump head</li> <li>It should have user friendly interface and customisable programming option up to 30.</li> </ul>			
Other Requirements	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> <li>It should be supplied with single pump head</li> <li>It should have user friendly interface and customisable programming option up to 30.</li> <li>It should also be provided with hand</li> </ul>			
Other Requirements	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> <li>It should be supplied with single pump head</li> <li>It should have user friendly interface and customisable programming option up to 30.</li> <li>It should also be provided with hand operated device for easy handling,</li> </ul>			
Other Requirements	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> <li>It should be supplied with single pump head</li> <li>It should have user friendly interface and customisable programming option up to 30.</li> <li>It should also be provided with hand operated device for easy handling, distribution of media, comfortable tube</li> </ul>			
·	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> <li>It should be supplied with single pump head</li> <li>It should have user friendly interface and customisable programming option up to 30.</li> <li>It should also be provided with hand operated device for easy handling, distribution of media, comfortable tube handling and dosing control</li> </ul>			
Other Requirements  4. AUTOMATED SPIRAL PL	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> <li>It should be supplied with single pump head</li> <li>It should have user friendly interface and customisable programming option up to 30.</li> <li>It should also be provided with hand operated device for easy handling, distribution of media, comfortable tube handling and dosing control</li> </ul>			
·	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> <li>It should be supplied with single pump head</li> <li>It should have user friendly interface and customisable programming option up to 30.</li> <li>It should also be provided with hand operated device for easy handling, distribution of media, comfortable tube handling and dosing control</li> </ul>			
4. AUTOMATED SPIRAL PL	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> <li>It should be supplied with single pump head</li> <li>It should have user friendly interface and customisable programming option up to 30.</li> <li>It should also be provided with hand operated device for easy handling, distribution of media, comfortable tube handling and dosing control</li> <li>ATER WITH DILUTION Qty: 1 No.</li> </ul>			
4. AUTOMATED SPIRAL PL	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> <li>It should be supplied with single pump head</li> <li>It should have user friendly interface and customisable programming option up to 30.</li> <li>It should also be provided with hand operated device for easy handling, distribution of media, comfortable tube handling and dosing control</li> <li>ATER WITH DILUTION Qty: 1 No.</li> <li>It is used for automatic disinfection,</li> </ul>			
4. AUTOMATED SPIRAL PL	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> <li>It should be supplied with single pump head</li> <li>It should have user friendly interface and customisable programming option up to 30.</li> <li>It should also be provided with hand operated device for easy handling, distribution of media, comfortable tube handling and dosing control</li> <li>ATER WITH DILUTION Qty: 1 No.</li> <li>It is used for automatic disinfection, sampling and plating of samples for</li> </ul>			
4. AUTOMATED SPIRAL PL	<ul> <li>up to 100 L</li> <li>2 ml/min upto 1.5 L/min. or Better</li> <li>Should vary for volumes. Min. 0.5 % to max. 2 %</li> <li>It should be supplied with single pump head</li> <li>It should have user friendly interface and customisable programming option up to 30.</li> <li>It should also be provided with hand operated device for easy handling, distribution of media, comfortable tube handling and dosing control</li> <li>ATER WITH DILUTION Qty: 1 No.</li> <li>It is used for automatic disinfection, sampling and plating of samples for microbiological analysis.</li> </ul>			

		and repeatability	
Syringe Capacity	•	1000μL or Better	
Standardized Plating	•	30 to 1 x 10 <sup>12</sup> CFU /mL on 1 single Petri	
range		dish or better	
Petri Dish sizes to be	•	55, 90 and 150 mm dia	
handled			
Number of dilution at	•	Minimum 5 or Better	
1/10 <sup>th</sup> per cycle			
Mode of Plating	•	Circle, Exponential and Pour, Constant.	
Precision	•	Pressure: Min. 8 bar	
Dispensing sample	•	15 uL up to 1,000 uL or Better	
volume range			
Volumes accuracy	•	± 0.5% or Better	
Other Requirements	•	It should have ability to do successive	
		plating with same sample.	
	•	It should be made up of Stainless Steel	
		for easy cleaning, corrosion free and it	
		should be used inside and outside the laminar airflow.	
		It should have alarm to indicate when	
	•	cleaning liquid is empty	
		It should be provided with the connection	
		to connect the computer with data export	
		facility in Excel and LIMS compatibility.	
5. AUTOMATED COLONY C	้อน		
5. AUTOMATED COLONY C	П	NTER Qty: 1 No.	
5. AUTOMATED COLONY C	•	NTER Qty: 1 No.  Instrument should be counting the	
	П	NTER Qty: 1 No.  Instrument should be counting the colonies automatically and It should be	
	П	NTER Qty: 1 No.  Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and	
	П	NTER Qty: 1 No.  Instrument should be counting the colonies automatically and It should be	
Purpose	•	NTER Qty: 1 No.  Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.	
Purpose	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the	
Purpose	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the colonies in all different plating methods. Eg:pour plating, surface plating, Spiral plating, circle plating and chromogenic	
Purpose	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the colonies in all different plating methods. Eg:pour plating , surface plating, Spiral plating , circle plating and chromogenic dishes etc	
Purpose	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the colonies in all different plating methods. Eg:pour plating , surface plating, Spiral plating , circle plating and chromogenic dishes etc Instrument should be counting on all	
Purpose	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the colonies in all different plating methods. Eg:pour plating, surface plating, Spiral plating, circle plating and chromogenic dishes etc  Instrument should be counting on all possible ready to use medium eg:	
Purpose	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the colonies in all different plating methods. Eg:pour plating, surface plating, Spiral plating, circle plating and chromogenic dishes etc  Instrument should be counting on all possible ready to use medium eg: PetriFilm <sup>TM</sup> , MC-Media Pads <sup>TM</sup> , Compact	
Purpose	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the colonies in all different plating methods. Eg:pour plating, surface plating, Spiral plating, circle plating and chromogenic dishes etc  Instrument should be counting on all possible ready to use medium eg: PetriFilm <sup>TM</sup> , MC-Media Pads <sup>TM</sup> , Compact Dry <sup>TM</sup> , EasyPlate <sup>TM</sup> , filtration membranes,	
Purpose	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the colonies in all different plating methods. Eg:pour plating, surface plating, Spiral plating, circle plating and chromogenic dishes etc  Instrument should be counting on all possible ready to use medium eg: PetriFilm <sup>TM</sup> , MC-Media Pads <sup>TM</sup> , Compact Dry <sup>TM</sup> , EasyPlate <sup>TM</sup> , filtration membranes, chromogenic culture medium (eg: RIDA)	
Purpose	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the colonies in all different plating methods. Eg:pour plating, surface plating, Spiral plating, circle plating and chromogenic dishes etc  Instrument should be counting on all possible ready to use medium eg: PetriFilm <sup>TM</sup> , MC-Media Pads <sup>TM</sup> , Compact Dry <sup>TM</sup> , EasyPlate <sup>TM</sup> , filtration membranes, chromogenic culture medium (eg: RIDA) etc.	
Purpose	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the colonies in all different plating methods. Eg:pour plating, surface plating, Spiral plating, circle plating and chromogenic dishes etc  Instrument should be counting on all possible ready to use medium eg: PetriFilm <sup>TM</sup> , MC-Media Pads <sup>TM</sup> , Compact Dry <sup>TM</sup> , EasyPlate <sup>TM</sup> , filtration membranes, chromogenic culture medium (eg: RIDA) etc.  It should have facility to do the automatic	
Plate counting features	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the colonies in all different plating methods. Eg:pour plating, surface plating, Spiral plating, circle plating and chromogenic dishes etc  Instrument should be counting on all possible ready to use medium eg: PetriFilm <sup>TM</sup> , MC-Media Pads <sup>TM</sup> , Compact Dry <sup>TM</sup> , EasyPlate <sup>TM</sup> , filtration membranes, chromogenic culture medium (eg: RIDA) etc.  It should have facility to do the automatic separation of clustered colonies	
Purpose	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the colonies in all different plating methods. Eg:pour plating, surface plating, Spiral plating, circle plating and chromogenic dishes etc  Instrument should be counting on all possible ready to use medium eg: PetriFilm <sup>TM</sup> , MC-Media Pads <sup>TM</sup> , Compact Dry <sup>TM</sup> , EasyPlate <sup>TM</sup> , filtration membranes, chromogenic culture medium (eg: RIDA) etc.  It should have facility to do the automatic separation of clustered colonies  It should have feature as inhibition Zone	
Plate counting features	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the colonies in all different plating methods. Eg:pour plating, surface plating, Spiral plating, circle plating and chromogenic dishes etc  Instrument should be counting on all possible ready to use medium eg: PetriFilm <sup>TM</sup> , MC-Media Pads <sup>TM</sup> , Compact Dry <sup>TM</sup> , EasyPlate <sup>TM</sup> , filtration membranes, chromogenic culture medium (eg: RIDA) etc.  It should have facility to do the automatic separation of clustered colonies  It should have feature as inhibition Zone reading	
Plate counting features	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the colonies in all different plating methods. Eg:pour plating, surface plating, Spiral plating, circle plating and chromogenic dishes etc  Instrument should be counting on all possible ready to use medium eg: PetriFilm <sup>TM</sup> , MC-Media Pads <sup>TM</sup> , Compact Dry <sup>TM</sup> , EasyPlate <sup>TM</sup> , filtration membranes, chromogenic culture medium (eg: RIDA) etc.  It should have facility to do the automatic separation of clustered colonies  It should have feature as inhibition Zone reading Inhibition zone reading on round dishes Ø	
Plate counting features	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the colonies in all different plating methods. Eg:pour plating, surface plating, Spiral plating, circle plating and chromogenic dishes etc  Instrument should be counting on all possible ready to use medium eg: PetriFilm <sup>TM</sup> , MC-Media Pads <sup>TM</sup> , Compact Dry <sup>TM</sup> , EasyPlate <sup>TM</sup> , filtration membranes, chromogenic culture medium (eg: RIDA) etc.  It should have facility to do the automatic separation of clustered colonies  It should have feature as inhibition Zone reading Inhibition zone reading on round dishes Ø 90 mm	
Plate counting features	•	Instrument should be counting the colonies automatically and It should be adapted to all sizes of Petri dishes and any culture media.  Instrument should be count on the colonies in all different plating methods. Eg:pour plating, surface plating, Spiral plating, circle plating and chromogenic dishes etc  Instrument should be counting on all possible ready to use medium eg: PetriFilm <sup>TM</sup> , MC-Media Pads <sup>TM</sup> , Compact Dry <sup>TM</sup> , EasyPlate <sup>TM</sup> , filtration membranes, chromogenic culture medium (eg: RIDA) etc.  It should have facility to do the automatic separation of clustered colonies  It should have feature as inhibition Zone reading Inhibition zone reading on round dishes Ø	

	4 -1:-1.
Minimum Size to count Counting ability	<ul> <li>1 click</li> <li>Reading time: 7 inhibition zone reading between 1 to 3 seconds or Better</li> <li>Inhibition zone measurement accuracy: ± 0.3 mm or better.</li> <li>0.05 mm or Better</li> <li>It should count max. 1000 No. of Colonies per Second in a constant and repeatable</li> </ul>
	mode.
Counting Mode	<ul><li>Automatic with manual control</li><li>It should count 100% of Petri dish</li></ul>
Petri Dish handling capacity	• It should handle 55 and 90 mm round Petri dishes or more sizes
Colour Detection	• It should have the facility to detect at least 7 colours or more on the same dish. It should have the facility to detect at least 7 colours or more on the same dish.
Camera Requirements	<ul> <li>It should have Colour HD CCD camera Zoom x 28 for capturing the colony images and counting.</li> <li>Camera Resolution should be minimum 1 megapixel</li> </ul>
Display resolution	• ± 0.1 mm or Better
Other requirements	<ul> <li>Instrument should have features of Export data to PDF and Excel</li> <li>It should report the results with Traceability (Including images,sample number &amp; antibiotic name, bacteria name, read diameter, result with category SIR by color code, critical diameter mini and maxi, comments, date, time, etc.</li> <li>Data security: modified data traceability in conformity with 21 CFR part 11</li> </ul>
GENERAL REQUIREMENT	
PC & Printer	<ul> <li>It should be supplied with suitable Branded PC with Printer (Laserjet) with MS Office licensed version along with the software for the above mentioned items.</li> </ul>
Compliance	• All equipments shall comply the ISO standards
Consumables & Accessories	<ul> <li>Bidder should quote all the required accessories and consumables required for the successful installation and operation of the equipments.</li> </ul>
Warranty	<ul> <li>Min.1 Year from the Date of installation for all the equipments mentioned.</li> </ul>

#### **ANNEXURE-I**

# (Details in Letter Head of the Bidder)

#### PROFILE OF THE BIDDING ORGANISATION

The Bidder shall furnish the following details without fail:

The blader shall farmsh the following details	Wichout fulli
Manufacturer / Supplier	
Name of the Organization	
Nature of the Organization:	<ol> <li>□Individual contractor</li> <li>□ Sole Proprietary Firm</li> <li>□ Firm in Partnership</li> <li>□ Private Limited Company</li> <li>□ Public Limited Company</li> </ol>
Year of Incorporation (Furnish copy of Certificate of incorporation)	
Main line of Business	
Address of the Registered Office:	
Contact Person Name	
Contact Person Mobile	
E-Mail Address	
Name, position, status, capacity etc, of the Key personnel/ directors of the company (Attach organization chart showing the structure of the company / firm)	
Name, capacity and address of the signatory who has Signed the Qualification Application. Attested copy of authorization issued (either by power of attorney or as per articles of Partnership Deed / Memorandum of Association) in favour of the signatory to sign the qualification Application price Tender/ Agreement should be appended.	
GST Registration Number (Furnish copy of GST Certificate)	
PAN Number (Furnish copy of PAN Card)	
Copy of Income Tax Returns for last three previous financial years	
Note: The Bidder must unload documentary pro	nof for the above details without fail

Note: The Bidder must upload documentary proof for the above details without fail.

I/we hereby declare that the details furnished above are true and correct to the best of my knowledge. In case any of the above information is found to be false or untrue or misleading or misrepresenting, I/we am/are aware that I/we may be held liable for it.

Signature of the Bidder with office sea	Signature	of the	Bidder	with	office	sea
-----------------------------------------	-----------	--------	--------	------	--------	-----

Place: Date:

#### **ANNEXURE-II**

### (Details in Letter Head of the Bidder)

# INFORMATION REGARDING CURRENT LITIGATION / DEBARRING / EXPELLING OF APPLICANT OR ABANDONMENT OF WORK BY THE APPLICANT

1. (a) Is the Applicant currently involved in any Arbitration / litigation relating to any contract works	Yes/No
(b) If Yes, Details thereon	
2. (a) Has the Applicant or any of it's constituent partners been Debarred/Expelled by any agency during the last Three years	Yes/No
(b) If yes, Details thereon	
3. (a) Has the Applicant or any of it's constituent Partners failed to complete, any contract work during the past Three years	Yes/No
(b) If yes, give details thereon	

Signature of the Bidder with office seal

**Note**: It any information in this Annexure is found to be incorrect or concealed, the Qualification Application will be summarily rejected & price tender will not be opened.

#### **ANNEXURE-III**

## (Details in Letter Head of the Bidder)

#### **DECLARATION FORM**

# (To be signed with company seal on letter head and uploaded in the Technical Bid)

To

The Dy. General Manager (QA), TCMPF Ltd., Head Office, Aavin Illam, 3-A, PasumponMuthuramalinganar Salai, Nandanam, Chennai – 600 035.

Sir,

Sub: Acceptance of Terms & Conditions of Tender.

Tender Ref. No.: 2507/DGM(QA)/HO/2025

Name of Tender / Work / Item: Supply and Installation of "Automated Culture Media Preparator, Pourer Stacker With Spiral Plater - 1 No. to Research and Development Laboratory, Products Dairy, Ambattur

\*\*\*\*

We, the undersigned, declare that:

- I / We hereby certify that I / we have read the entire terms and conditions of the tender documents including all documents like detailed technical specification, annexure(s), etc ,
- 2) I/we agree to abide by all the detailed specifications, terms and conditions stipulated by the TCMPF LTD. which I/we have read and understood.
- 3) I/we certify that I/we have fully read and understood the instruction to bidders for online bid submission given by TCMPF LTD., and any lapse in improper submission of the bids result in rejection of the bid submitted.
- 4) I/we certify that the tender is offered without any alteration / addition / omission.

- 5) The corrigendum(s) issued from time to time by your department/ organisation too has also been taken into consideration, while submitting this declaration form
- 6) I/ we certify that all the conditions of the tender are accepted.
- 7) I/we agree that the TCMPF LTD., is not responsible for any data corruption that might arise during the transmission / uploading of data in the website or due to disruption in communication error in my / our tender.
- 8) I/we agree that the TCMPF LTD., has right to change schedule of opening or any technical corrective action to resolve any error that might arise during the opening of the e-tender by TCMPF LTD.
- 9) I/we certify that I/we are responsible for the uploading of correct copies of scanned documents as per the e-tender procedure of TCMPF LTD.
- 10) I /we understand that any error in doing so my /our tender may be summarily rejected by TCMPF LTD.
- I/We hereby agree to hold the tender offer valid for acceptance for a period of 180 days from the date of opening of Part I Technical bid
- 12) In the event of failure on my / our part to comply with all the requirements mentioned in this tender document I / we unconditionally agree that the department is at its liberty to reject my/our tender including the forfeiture of the full said earnest money deposit absolutely.

Pl	ac	e:
D	ate	≥:

# ANNEXURE - IV

# (Details in Letter Head of the Bidder)

# **DETAILS OF SERVICE CENTRE & SERVICE PERSONNEL**

S.No.	Service Centres in Tamil Nadu	Name & Contact Details of Qualified Service Personnel

	Signature of the Bidder with office seal
Place:	
Date:	

# ANNEXURE - V

# (Details in Letter Head of the Bidder)

# **FINANCIAL CAPABILITY**

	The	Average	Annual	Sales	/	Rev	enue	Tur	rnover	of
M/s.			(Nam	e of F	ïrm)			a	nd add	dress
			for the	past th	ree '	years	are g	iven	below	and
certi	ified that	the statem	ent is true	and cor	rect:	-				
	S. No.	Fina	ncial Yea	rs	Sale	-	evenu Lakhs		nover	
	1.	2	2021-22							
	2.	2	2022-23							
	3.		2023-24							
		Total								
										_
Avei	rage annı	ual Sales /	Revenue tı	urnover	- Rs. <sub>-</sub>			L	akhs	
Not	<b>e: -</b> The	Bidder mus	t upload e	either th	ie Anr	nual T	urn Ov	er Ce	ertificat	e for
abov	ve 3 yea	rs certified	by Char	tered A	ccount	tant c	r Annı	ual st	tatemer	nt of
Acco	ounts (i.e	e.) Profit &	Loss Acco	ounts ar	nd Ba	lance	Sheet	for t	he abo	ve 3
year	s certifie	ed by Chai	tered Acc	ountant	in s	upport	t of Aı	nnual	Turn	Over
with	out fail.									
				Sig	nature	e of th	e Bidde	er wit	h office	seal
Plac	e:									
Date	e:									

#### **ANNEXURE - VI**

# (Details in Letter Head of the Bidder)

#### **BIDDER'S EXPERIENCE DETAILS**

Details of purchase orders successfully executed in last five years shall be summarized chronologically in the given format and copies of the same may be scanned and uploaded

S. No.	Name and address of the Purchaser	Name of the Works/Items	Purchase Order No. & Date	Qty.	Value of order in Rs. Lakhs	Performance Certificate obtained on
1.						
2.						
3.						
4.						

	Signature of the Bidder with office sea
Place:	
Date:	

#### **ANNEXURE - VII**

# (Details in Letter Head of the Bidder)

# **COMPLIANCE OF TECHNICAL SPECIFICATION**

S.No.	Name of the Equipment	Brand Name & Model No.	TCMPF Ltd. Specification	Specification of the Quoted Model	Please specify whether the quoted model meets the specification (Yes/No)
1	AUTOMATED				
	CULTURE MEDIA				
	PREPARATOR,				
	POURER STACKER				
	WITH SPIRAL				
	PLATER				

Note: OEM Product Catalogue with all the technical details to be enclosed along with the above details

Place:			
Date:			


Signature of the Bidder with office seal

#### **ANNEXURE-VIII**

## (Details in Letter Head of the Bidder)

#### **FINANCIAL BID**

I/We have gone through and understood all the terms and conditions of the tender and will abide by all the condition laid down for the supply of tendered item as per the detailed scope of work, terms and conditions laid down in the tender document.



#### Note:

- 1). The rate quoted in the Financial Bid shall remain constant during the period of contract or till extended period if any and no other additional charges on any account will be claimed. The above rate is on F.O.R. which is inclusive of all viz. GST/IGST for supply and installation, transit charges, loading and unloading charges, etc.,
- 2). All the rates should be only in terms of Indian Rupees.

Signature of the	Bidder	with	office	sea

Place:

Date:

#### **CHECK LIST**

# BIDDER TO FILL IN THE CHECK LIST AND UPLOAD IN THE ONLINE PORTAL WHILE SUBMITTING THE TENDER

(State YES / NO for each item)

Kindly ensure compliance of the under-mentioned requirements, as per Tender Terms and Conditions.

S.	Description	Bidders
No.		Response
I.	TECHNICAL BID	\ / /N!
1.	Whether details of E-Remittance towards EMD Amount is uploaded 5.1	Yes/No
2.	If the bidder is claiming EMD exemption, a copy of valid document	Yes/No
	proof of EMD exemption to be uploaded in accordance with Clause No.9.8	
3.	Whether documentary evidence for manufacturer / supplier as per tender clause 5.2 are uploaded	Yes/No
4.	Whether documentary evidence for average annual sales turn-over as per tender clause 5.3 are uploaded	Yes/No
5.	Whether documentary evidence for catalogue of the quoted equipment mentioned with the Make/ Model No., conforming to the tender specifications No. 5.4 are uploaded.	Yes/No
6.	Whether the copies of purchase orders / supply orders as per Tender Clause as per Tender Clause No. 5.5 are uploaded.	Yes/No
7.	Whether the copies of Satisfactory supply Completion Certificate / Performance Certificate as per tender clause 5.6 are uploaded	Yes/No
8.	Whether the tender documents are signed & stamped with company seal and uploaded	Yes/No
9.	Whether the following Supporting Documents, including the Annexures / Amendments are uploaded duly signed and sealed in each and every page, failing which their offer will be rejected	Yes/No
	Profile of the Bidding Organisation as per Annexure-I.	Yes/No
	Details of Abandonment of work Litigation / debarring done as per Annexure -II	Yes/No
	Declaration Form as per Annexure-III	Yes/No
	Details of Service Centre and Technical Personnel as per Annexure-IV	Yes/No
	Financial Capability as per Annexure-V	Yes/No
	Bidder's Experience Details - Annexure - VI	Yes/No
	Compliance of Technical Specification Annexure- VII	Yes/No
II.	FINANCIAL BID	
10.	Whether the Financial Bid – Annexure- VIII(BOQ & pdf Format) is filled and uploaded	Yes/No

Note: Please ensure that all the relevant boxes are marked YES / NO against each column

**Important Note:** Bidders must ensure to upload all the required documents indicated in the Tender document without fail in the Online Portal. Bids uploaded without supporting documents (See Clause No 5 Pre-Qualification Criteria) in respect of the various requirements mentioned in the tender document are liable to be rejected at the initial stage itself.