

**TAMILNADU COOPRATIVE MILK PRODUCERS' FEDERATION LIMITED,
Marketing Unit, Aavin Illam, 3-A, Pasumpon Muthuramalingam Salai, Nandanam,
Chennai-600035.**

Ref.No.777/ Mkg/Civil/2025

Date: 14.03.2025

To

The Related Firms,

Sir,

Sub: TCMPF Limited – **Dismantling of side wall for entry into kitchen portion and fixing of shelf for display portion and bottom counter,pavement concrete for vehicle entry in MMC parlour, Madhavaram**– Sealed quotations - Called for – Regarding.

~~~~~

We invite competitive sealed quotations for the work of **Dismantling of side wall for entry into kitchen portion and fixing of shelf for display portion and bottom counter,pavement concrete for vehicle entry in MMC parlour, Madhavaram**". We enclose a detailed specification and price schedule to be downloaded from the Aavin website [www.aavin.tn.gov.in](http://www.aavin.tn.gov.in).

The willing related firms can send their filled up quotations in the attached format along with the copies of necessary documents and should reach this office on or before **19.03.2025 at 3.00 PM.**

The sealed quotations should be addressed to "**The General Manager (Marketing), Tamilnadu Cooperative Milk Producers' Federation Limited, Aavin Illam, No.3-A, Pasumpon Muthuramalingam Salai, Nandanam, Chennai-600 035.**"

The TCMPF Limited will not be responsible for any delay in receipt of quotations beyond the specified time and date. Quotations for the above work should be sent in the sealed cover superscribing the name of work and last date on the cover itself. The Managing Director, TCMPF Limited reserves the right to reject any or all the quotations without assigning any reasons thereof.

**General Manager (Mkg)  
TCMPF Ltd.,**

Encl: Price Schedule, Terms & conditions

CC: Notice board, Head office Nandanam

### **Terms & Conditions**

1. Kindly mention your Company Name, Address with proof, Contact details along with GST registration copy mentioning the business/activity of the firm, PAN etc.
2. Details of Contractor registration/MSME registration/others and work experience/workorder details to be enclosed. (if any available)
3. Payments shall be released after completing the work satisfactorily.
4. Quotation to be addressed to "The General Manager (Marketing.), TCMPF Ltd. No.3A, Pasumpon Muthuramalingam salai, Nandanam, Chennai-35".
5. Superscribe on the cover "Ref. No.777/Mkg(Civil)/2024 and name of work "Dismantling of side wall for entry into kitchen portion and fixing of shelf for display portion and bottom counter,pavement concrete for vehicle entry in MMC parlour, Madhavaram ".
6. TCMPF Ltd, reserves the right to alter the quantity as required / cancel the service.
7. Advance payment not accepted and kindly inspect the site/ before quoting the rates. Mentioned like "at actual" or "extra" is not accepted.

**Signature**

**With Date & seal**

**TAMILNADU COOPERATIVE MILK PRODUCERS' FEDERATION LIMITED,**  
Marketing Unit, Aavin Illam, 3-A, Pasumpon Muthuramalingam Salai, Nandanam, Chennai-600035.

**Price Schedule**

Ref .No 777/Mkg(Civil)/2025

Date:

- 1 Name of the Firm
- 2 Address details

3 Contact No & Email ID

4 GST No.

| <b>Dismantling of side wall for entry into kitchen portion and fixing of shelf for display portion and bottom counter,pavement concrete for vehicle entry in MMC parlour, Madhavaram</b> |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |      |                           |        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---------------------------|--------|
| S.No                                                                                                                                                                                     | Qty   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Unit | Rate (in figures & words) | Amount |
| 1                                                                                                                                                                                        | 6.30  | Supplying and fixing of PVC Panelled door Shutters Hollow Type - 200mm x 20mm panels with 1mm wall thickness for panels and styles and rails of suitable size with 2mm wall thickness suitably reinforced using MS Angle / Flat including cost of necessary aluminium hinges and other furniture fittings including handles, wheels, aluminium channels etc with its necessary accessories etc including the cost and conveyance of all materials to site and all labour charges etc complete as directed by the Federation officers. | sqm  |                           |        |
| 2                                                                                                                                                                                        | 4.00  | Providing Cup-board Shutter using Medium Density Fibre (MDF) Board - Exterior Grade - Plain 30 mm thick laminated with teakwood external lipping around and are edge-banded with PVC tapes with glass sliding door along with necessary furniture fittings, such as, hydraulic hinges, tower bolt, handles, multi purpose locks etc., as directed by the Departmental Officers.                                                                                                                                                       | sqm  |                           |        |
| 3                                                                                                                                                                                        | 80.00 | Supply and fixing of 3 mm MS chequered plate including the cost of materials, labours, welding charges, transportation cost etc complete.                                                                                                                                                                                                                                                                                                                                                                                             | Kg   |                           |        |
| 4                                                                                                                                                                                        | 1.00  | Repair to the damaged swing including transportation , labour cost , welding & cutting charges including hire charges for machinaries etc complete as directed by the Federation Officers.                                                                                                                                                                                                                                                                                                                                            | Lot  |                           |        |
| 5                                                                                                                                                                                        | 1.00  | Dismantling Brick / Stone Masonry in cement mortar walls under 3m high etc all complete complying with relevant standard specification and as directed by the departmental officers.                                                                                                                                                                                                                                                                                                                                                  | Lot  |                           |        |
| 6                                                                                                                                                                                        | 3.80  | Plain Cement Concrete 1:2:4 (one cement, two sand and four hard broken stone jelly) using 20mm jelly for wearing coat including laying, compacting, finishing and curing, etc., complete as per standard specificatins and as directed by the departmental officers.                                                                                                                                                                                                                                                                  | Cum  |                           |        |
| 7                                                                                                                                                                                        | 3.80  | Plain Cement Concrete 1:4:8 (One Cement, Four M-sand and eight hard broken stone jelly) using 40 mm gauge hard broken granite stone jelly for foundation including dewatering for flooring and foundation and including side shuttering, compaction, curing etc., complete as directed by the departmental officers.                                                                                                                                                                                                                  | Cum  |                           |        |
|                                                                                                                                                                                          |       | <b>Sub - Total</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      |                           |        |
|                                                                                                                                                                                          |       | <b>GST @ 18%</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |      |                           |        |
|                                                                                                                                                                                          |       | <b>Total</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |      |                           |        |

Signature of the Offerer